Table 3.21C Past Month Use of Selected Substances, by Youth's Perceptions of Parents' Feelings about Substance Use Behaviors among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2010

	SUBSTANCE USE IN THE PAST MONTH								
	Used Illicit Drugs <sup>2</sup>		Used Marijuana		Used Cigarettes		Binge Use of Alcohol <sup>3</sup>		
Feelings about Substance Use Behaviors <sup>1</sup>	Strongly Disapprove	Somewhat Disapprove/ Neither Approve Nor Disapprove	Strongly Disapprove	Somewhat Disapprove/ Neither Approve Nor Disapprove	Strongly Disapprove	Somewhat Disapprove/ Neither Approve Nor Disapprove	Strongly Disapprove	Somewhat Disapprove/ Neither Approve Nor Disapprove	
YOUTH'S PERCEPTIONS OF PARENTS' FEELINGS ABOUT YOUTH									
Smoking One or More Packs of Cigarettes Per Day	65	36	56	32	53	36	59	30	
Trying Marijuana or Hashish Once or Twice	57	45	44	42	52	37	52	37	
Using Marijuana or Hashish Once a Month or More	60	42	47	39	54	35	55	33	
Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	63	39	53	36	55	36	53	35	

<sup>\*</sup>Low precision; no estimate reported.

<sup>&</sup>lt;sup>1</sup> Respondents with unknown data were excluded.

<sup>&</sup>lt;sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>&</sup>lt;sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2010.

Table 3.21D Past Month Use of Selected Substances, by Youth's Perceptions of Parents' Feelings about Substance Use Behaviors among Persons Aged 12 to 17: Standard Errors of Percentages, 2010

	SUBSTANCE USE IN THE PAST MONTH								
	Used Illicit Drugs <sup>2</sup>		Used Marijuana		Used Cigarettes		Binge Use of Alcohol <sup>3</sup>		
Feelings about Substance Use Behaviors <sup>1</sup>	Strongly Disapprove	Somewhat Disapprove/ Neither Approve Nor Disapprove	Strongly Disapprove	Somewhat Disapprove/ Neither Approve Nor Disapprove	Strongly Disapprove	Somewhat Disapprove/ Neither Approve Nor Disapprove	Strongly Disapprove	Somewhat Disapprove/ Neither Approve Nor Disapprove	
YOUTH'S PERCEPTIONS OF PARENTS'	Disapprove	Disapprove	Disapprove	Disapprove	Бізаррі отс	Disapprove	Disapprove	Бізаррі оче	
FEELINGS ABOUT YOUTH									
Smoking One or More Packs of Cigarettes									
Per Day	0.27	1.61	0.24	1.50	0.23	1.53	0.25	1.45	
Trying Marijuana or Hashish Once or Twice	0.25	1.30	0.20	1.26	0.23	1.20	0.23	1.22	
Using Marijuana or Hashish Once a Month or More	0.25	1.55	0.21	1.52	0.23	1.46	0.23	1.42	
Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	0.27	1.39	0.23	1.31	0.24	1.28	0.23	1.29	

<sup>\*</sup>Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2010.

<sup>&</sup>lt;sup>1</sup> Respondents with unknown data were excluded.

<sup>&</sup>lt;sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>&</sup>lt;sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 3.22C Past Month Use of Selected Substances, by Feelings about Substance Use Behaviors among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2010

	SUBSTANCE USE IN THE PAST MONTH							
	Used Illicit Drugs <sup>2</sup>		Used Marijuana		Used Cigarettes		Binge Use of Alcohol <sup>3</sup>	
Feelings about Substance Use Behaviors <sup>1</sup>	Strongly/ Somewhat Disapprove	Neither Approve Nor Disapprove						
YOUTH'S PERCEPTIONS OF CLOSE								
FRIENDS' FEELINGS ABOUT YOUTH Smoking One or More Packs of								
Cigarettes Per Day	63	40	52	35	52	37	55	33
Trying Marijuana or Hashish Once or	4.5		22	50	4.5	4.6	4.1	40
Twice Using Marijuana or Hashish Once a	45	55	33	52	46	46	41	48
Month or More	45	55	33	51	44	46	41	46
Having One or Two Drinks of an Alcoholic								
Beverage Nearly Every Day YOUTH'S FEELINGS ABOUT PEERS	59	44	49	40	52	40	48	40
Smoking One or More Packs of								
Cigarettes Per Day	64	35	55	32	55	38	54	30
Trying Marijuana or Hashish Once or								
Twice	47	57	33	54	43	48	39	49
Using Marijuana or Hashish Once a Month or More	46	57	32	53	42	49	39	49
Having One or Two Drinks of an Alcoholic								
Beverage Nearly Every Day	61	42	51	39	52	39	50	39

<sup>\*</sup>Low precision; no estimate reported.

<sup>&</sup>lt;sup>1</sup> Respondents with unknown data were excluded.

<sup>&</sup>lt;sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>&</sup>lt;sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2010.

Table 3.22D Past Month Use of Selected Substances, by Feelings about Substance Use Behaviors among Persons Aged 12 to 17: Standard Errors of Percentages, 2010

	SUBSTANCE USE IN THE PAST MONTH							
	Used Illicit Drugs <sup>2</sup>		Used Marijuana		Used Cigarettes		Binge Use of Alcohol <sup>3</sup>	
Feelings about Substance Use Behaviors <sup>1</sup>	Strongly/ Somewhat Disapprove	Neither Approve Nor Disapprove						
YOUTH'S PERCEPTIONS OF CLOSE FRIENDS' FEELINGS ABOUT YOUTH								
Smoking One or More Packs of Cigarettes Per Day Trying Marijuana or Hashish Once or	0.28	1.13	0.23	1.02	0.24	1.08	0.24	1.00
Twice Using Marijuana or Hashish Once a	0.22	0.95	0.17	0.94	0.23	0.87	0.20	0.90
Month or More Having One or Two Drinks of an Alcoholic	0.22	0.99	0.17	0.97	0.22	0.92	0.20	0.92
Beverage Nearly Every Day YOUTH'S FEELINGS ABOUT PEERS	0.27	1.08	0.23	1.03	0.24	1.01	0.22	1.01
Smoking One or More Packs of Cigarettes Per Day Trying Marijuana or Hashish Once or	0.27	1.27	0.24	1.21	0.24	1.33	0.23	1.14
Twice Using Marijuana or Hashish Once a	0.23	0.95	0.17	0.94	0.22	0.88	0.19	0.88
Month or More Having One or Two Drinks of an Alcoholic	0.23	0.95	0.16	0.95	0.21	0.88	0.19	0.88
Beverage Nearly Every Day	0.27	1.17	0.23	1.13	0.24	1.09	0.22	1.11

<sup>\*</sup>Low precision; no estimate reported.

<sup>&</sup>lt;sup>1</sup> Respondents with unknown data were excluded.

<sup>&</sup>lt;sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>&</sup>lt;sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2010.